RCRA REVISION CHECKLIST 44

HSWA Codification Rule 2 52 FR 45788-45799 December 1, 1987 (HSWA Cluster II)

This codification rule is a companion to the initial codification rule of July 15, 1985 (Revision Checklist 17) and incorporates logical outgrowths of the 1984 HSWA amendments into the existing RCRA regulations. Since HSWA provides that States may seek authorization for selected provisions (instead of having to adopt all provisions simultaneously), this checklist has been divided into logical subgroupings. There are seven subsections to this checklist.

Checklist 44 A - Permit Application Requirements Regarding Corrective Action

Checklist 44 B - Corrective Action Beyond the Facility Boundary

Checklist 44 C - Corrective Action for Injection Wells

Checklist 44 D - Permit Modification

Checklist 44 E - Permit as a Shield Provision

Checklist 44 F - Permit Conditions to Protect Human Health and the Environment

Checklist 44 G - Post-Closure Permits

RCRA REVISION CHECKLIST 44 A

Permit Application Requirements Regarding Corrective Action

	Permit Application Requiremen	its Regarding Corrective	ve Action		
				STATE	ANALOG IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
1	PART 270 - EPA ADMINISTE THE HAZARDOUS WAS				
	SUBPART B - PER	MIT APPLICATION			
CONTENTS OF PART E	B: GENERAL REQUIREMEN	NTS			
facilities containing					
a regulated unit	270.14(c)				
information	,				
requirements:	270.14(d)				
solid waste					
management unit					
information	270.14(d)(1)(i-v)				
hazardous waste	270.14(0)(1)(17)				
	270 14(d)(2)				
release information	270.14(d)(2)				
facility assessment	070 444 1) (0)				

270.14(d)(3)

information

RCRA REVISION CHECKLIST 44 B

Corrective Action Beyond the Facility Boundary

STATE ANALOG IS:

ANALOGOUS	EQUIV-	MORE	BROADER
STATE CITATION	ALENT	STRINGENT	IN SCOPE
RS AND OPERAT	ORS OF H	AZARDOUS	3
E, AND DISPOSAL	FACILITIE	S	
,			
LID WASTE MANA	GEMENT I	JNITS	
	STATE CITATION ERS AND OPERATOR E, AND DISPOSAL	STATE CITATION ALENT ERS AND OPERATORS OF H. E, AND DISPOSAL FACILITIE	

property boundary 264.100(e)(1)
release beyond the
facility boundary 264.100(e)(2)

CORRECTIVE ACTION FOR SOLID WASTE MANAGEMENT UNITS

corrective action beyond facility

compliance point/downgradient

boundaries 264.101(c)

RCRA REVISION CHECKLIST 44 C

Corrective Action for Injection Wells

	Concouve / todon	Tot Injection Wells		STATE ANALOG
-		ANALOGOUS	EQUIV-	MORE BROADE
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT IN SCOPE
PART 144 - REQI	JIREMENTS FOR THE UNDE	ERGROUND INJEC	TION CONT	ROL PROGRAM
	SUBPART A - GEN	ERAL PROVISION	S	
PURPOSE AND SCOR	PE OF PART 144			
interim status for Class I wells	144.1(h)			
	SUBPART D - AUTHO	RIZATION BY PER	RMIT	
	PERMIT, AUTHORIZATION I	BY PERMIT		
information requirements	144 31(a)(1)			
information on	144.31(g)(1)			
hazardous waste				
releases	144.31(g)(2)			
preliminary site				
investigations	144.31(g)(3)			
	INTERIM STATUS STANDAR DUS WASTE TREATMENT, S	STORAGE, AND DI		
	SUBPART A	A - GENERAL		
PURPOSE, SCOPE, A	ND APPLICABILITY			
remove (c)(2)	265.1(c)(2)			
	PART 270 - EPA ADMINIST THE HAZARDOUS WAS			
	SUBPART F - SPECIA	L FORMS OF PER	MITS	
PERMITS BY RULE				
complies with 264.101	270.60(b)(3)(i)			
UIC well is the only unit	270.60(b)(3)(ii)			

RCRA REVISION CHECKLIST 44 D

Permit Modification

				STATE	ANALOG IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
PA	RT 270 - EPA ADMINISTE	RED PERMIT PROC	RAMS.		
• • •	THE HAZARDOUS WAS		_		
	THE HAZARDOUS WAS	TE FERMIT FROGR	ΛIVI		
	SUBPART D - CHAN	IGES TO PERMITS			
					_
MAJOR MODIFICATION (OR REVOCATION AND RE	ISSUANCE OF PER	MITS		
statutory	THE VOORTHON AND THE	TOO THOU OF THE			
	070 44/5)/0)				
requirements	270.41(a)(3)				
modification by					
the director	270.41(a)(3)(i)				
permittee request					
for modification	270.41(a)(3)(ii)				
renumber old (3)(ii)	<u> σ (α/(σ/(π/</u>				
() ()	270 41(a)(2)(iii)				
as (3)(iii) and revise	270.41(a)(3)(iii)				

RCRA REVISION CHECKLIST 44 E

Permit as a Shield Provision

				STATE	ANALOG IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
D	ART 270 - EPA ADMINISTE	RED PERMIT PROC	SRAMS.		
1 /			_		
	THE HAZARDOUS WAS	TE PERIVITI PROGR	AIVI		
	SUBPART A - GENE	RAL INFORMATION			
	0051711171 02112				
EFFECT OF A PERMIT					
exception of					
requirements not in					
permit or under Part					
•	070 4/-)				
268	270.4(a)				_

RCRA REVISION CHECKLIST 44 F

Permit Conditions to Protect Human Health and the Environment

			STATE	ANALOG IS:			
	ANALOGOUS	EQUIV-	MORE	BROADER			
FEDERAL REQUIREMENT FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE			
PART 270 - EPA ADMINISTE	RED PERMIT PR	OGRAMS:					
THE HAZARDOUS WAS	TE PERMIT PROC	JRAM :					
SUBPART B - PER	MIT APPLICATION	J					
OODI AINI B-1 LIN	WILL ALL LIGATION	1					
GENERAL APPLICATION REQUIREMENTS							
information for							

permit conditions 270.10(k)

RCRA REVISION CHECKLIST 44 G

Post-Closure Permits

			Post-Closu	ure Permits			
							ANALOG IS:
				ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEI	DERAL RCRA	CITATION	STATE CITATIO	N ALENT	STRINGENT	IN SCOPE
	PART	270 - FPA	ADMINISTI	ERED PERMIT	PROGRAMS.		
		-	_	STE PERMIT P			
	• • •	12 117 (27 (1))	11001010		
		SUBPAR	PT A - GENE	RAL INFORM	ATION		
		OODI 7(I)	CI /C OLIVE		, (1101 1		
-							
PURPOSE AND SCOPE	E OF 1	THESE RE	GULATION	S			
post-closure							
permits	27	'0.1(c)					
closure by removal/							
decontamination	27	0.1(c)(5)					
determination							
following Part B							
application submittal	27	0.1(c)(5)(i)					
petition if Part B							
application not							
submitted	27	0.1(c)(5)(ii)				
what petition data							
must demonstrate	27	0.1(c)(5)(ii)(A)				
RA approval/							
<u>denial</u>	27	0.1(c)(5)(ii)(B)				
procedures for							
equivalency							
determination	27	0.1(c)(6)(i)					
procedure if		, , ,					
determination finds							

270.1(c)(6)(ii)

270.1(c)(6)(iii)

†

†

†

equivalency is not met requirements if 264

closure standards are not met